


CASTERS


- Available in three stem sizes to fit the three tube sizes offered.
- All Casters include 0068-061 - 2" snap pin for fastening caster to frame leg.
- Available in capacities from 250-500 pounds.
- All **Bil-Jax** casters include wheel and swivel brakes.

Always lock wheel and pin caster stem before and during use.




2" Snap Pin


0026-7_2
w/ Snap Pin



0026-9_2
w/ Snap Pin




0026-8_0
w/Snap Pin



Safety Label and Snap Pin included with all casters purchased from Bil-Jax.

To determine Caster Size 5, 6, or 7, measure outside diameter of caster stem.




CASTERS (5) (6) (7)

Part No.- (5, 6, or 7)	Wheel Size	Stem Type	Wheel Type *	Capacity #	Wt.#
0026-7_2	8"	4"	3	500	14
0026-9_2	8"	4"	2	500	10
0026-8_0	5"	4"	1	250	5


* DESCRIPTION OF WHEEL TYPES

- 1 – Molded Rubber Wheel.
- 2 – Yellow Polyolefin With Synthetic Rubber Tread.
- 3 – Cast Iron With Mold-On Rubber Tread.


SHORE JACK/SHORE HEADS




Jack w/Head
0050-10_



Shore Head w/4" Stem
0049-10_



J-Head
0064-0034



2-Way Shore Head
0050-24

STANDARD DUTY SHORE JACK/SHORE HEADS (5) (6) (7)

Part No. (5, 6, or 7)	Description	Wt.#
0050-10_*	Jack With Head Attached	18.25
0049-10_*	Head With 4" Stem	7.5
J-HEADS		
Part No.	Description	Wt.#
0064-0034	Shoring Head 4-1/4" inside W x 11"L (2 Bolts Included)	6
0050-24	Shoring Head - 2 Way 4-1/4"W x 10"L and 8-1/4"W x 10"L	9


* To fit Tube Size 6 and 7, use 6 in the Part No.

GUARD RAIL SYSTEMS . . .

Must be used, along with toeboards, on all scaffolds, in compliance with local, state and federal regulations.

GUARD RAIL POSTS

Only use Hole End Guard Rail on Posts shown.



Type BC Post

Type FC Post

Type UC Post

GUARD RAIL POSTS (5) (6) (7) Use Hole End Rails With B, F, or U Locks

Part No (5, 6, or 7)	Description	Wt.#
0023-__23	ST-39-BC Corner Guard Rail Post/B Lock	6
0023-__25	ST-39-FC Corner Guard Rail Post/F Lock	5.5
0023-__18	ST-39-U Guard Rail Post/U Lock	5.5
0023-__28	ST-39-UC Corner Guard Rail Post/U Lock	5.5

GUARD RAIL (GALVANIZED)



GUARD RAIL - Hole End Use With B, F, or U Locks

Part No.	Description	Wt.#
0022-02-28	ST-73-28H-E End Rail 28" Spacing	3
0022-01-03	ST-73-3H-E End Rail 36" Spacing	3
0022-02-04	ST-73-4H-E(5) End Rail 46-1/2" Spacing	3
0022-01-04	ST-73-4H-E(6,7) End Rail 48" Spacing	3
0022-02-05	ST-73-5H-E(5) End Rail 58-1/2" Spacing	4
0022-01-05	ST-73-5H-E(6,7) End Rail 60" Spacing	4
0022-01-07	ST-73-7H Side Rail 7' Spacing	5.25
0022-01-08	ST-73-8H Side Rail 8' Spacing	6.5
0022-25-10	ST-73-10H Side Rail 10' Spacing	8

Other Side Guard Rail sizes available - Contact factory.

Note: OSHA requires use of guard railings and toeboards on scaffolds less than 45" in width when platform heights exceed 4'. On scaffolds 60" wide or greater, guard rails and toeboards are required when platform height exceeds 10'.

STEEL TOEBOARD




6" HIGH STEEL TOEBOARDS (5) (6) (7)


Part No.	Description	Wt.#
0012-016-03	ST-91-28E(5,6) End Toeboard 26-5/8"	4
0012-016-04	ST-92-28E(7) End Toeboard 26-5/16"	4
0012-016-05	ST-91-3E End Toeboard 36"	5
0012-016-06	ST-91-4E(5) End Toeboard 46-1/2"	6
0012-016-07	ST-91-4E(6,7) End Toeboard 48"	7
0012-016-08	ST-91-5E(5) End Toeboard 58-1/2"	7
0012-016-09	ST-91-5E(6,7) End Toeboard 60"	8
0012-016-12	ST-91-7 Side Toeboard 7'	9
0012-016-14	ST-91-8 Side Toeboard 8'	10
0012-016-18	ST-91-10 Side Toeboard 10'	12

Other Side Toeboard sizes available - Contact factory.

TOEBOARD CLIPS FOR USE WITH WOOD TOEBOARDS



Toeboard Clip
0063-0199




Corner Toeboard Clip
0063-0200

TOEBOARD CLIPS FOR WOOD TOEBOARDS

Part No.	Description	Wt.#
0063-0199	ST-151 Toeboard Clip	.5
0063-0203	Corner Toeboard Bracket	.5

GUARD RAIL POST FOR CONCRETE SLAB

This rugged, all-steel guard rail post slips onto outside edges of slabs up to 23" thick and locks tightly by means of a Hex Head Adjusting Bolt. Brackets on post accommodate 2 x 4 or 2 x 6 Top, Mid Rails, and Toeboards.




GUARD RAIL POST FOR CONCRETE SLAB

Part No.	Description	Wt.#
0023-123	WP-39U Guard Rail Post for Concrete Slab	17

All photos and drawings are for illustration only. Always concerned with the improvement of the quality of this product, the manufacturer reserves the right to modify specifications without prior notice. Follow all applicable ANSI and OSHA Codes and Regulations for the use of this equipment. Do not use this product in areas where user can come in contact with live power.

Easi-Guard and Panel-Guard components are not interchangeable.

EASI-GUARD - Unitized Guard Rail System



Easi-Guard System in application.

- Minimal parts
- Easy installation
- End Panels use steel tubular top rail with chained mid-rail for easy platform entry.
- Toeboard built into end panels - 6" steel side toeboard separate.




Side Panel



6" Steel Side Toeboard



Mid-Post
0012-23__



End Panel*


*Toeboard adjusts to accommodate various deck styles

EASI-GUARD PANEL SYSTEM (5) (6) (7)		
Part No. (5, 6, or 7)	Description	Wt.#
0012-23__	Mid-Post	9
0012-22__-28	End Panel 28" w/Toeboard	14
0012-22__-03	End Panel 36" w/Toeboard	17
0012-22__-04	End Panel 48" w/Toeboard	21
0012-22__-05	End Panel 60" w/Toeboard	34
0012-209-07	Side Panel 7'	12
0012-209-08	Side Panel 8'	14
0012-210-10	Side Panel 10'	17
0012-202-07	Side Toeboard 7'	8
0012-202-08	Side Toeboard 8'	10
0012-202-10	Side Toeboard 10'	12


Other Side Panel and Side Toeboard sizes available - Contact Factory.

PANEL GUARD - Unitized Guard Rail System

(3" Hinge Pin, Part #0068-018, or other suitable fastening pin is recommended to prevent uplift.)



Panel Guard System in application.



End Panel



Starter-Post
0012-0__2



Side Panel

- Only four sections required to make a complete four sided enclosure. Easy installation.
- Panels include top rail, mid-rail and toeboard.

PANEL G.R. W/6" ADJ. STEEL TOEBOARD (5) (6) (7)		
Part No. (5, 6, or 7)	Description	Wt.#
0012-0__2	Starter-Post (required when using Panel Guard on less than 4 sides)	5
0012-03__-28	End Panel 28"	17
0012-03__-03	End Panel 36"	19
0012-03__-04	End Panel 48"	22.5
0012-03__-05	End Panel 60"	24.5
0012-02__-07	Side Panel 7'	29
0012-02__-08	Side Panel 8'	32
0012-02__-10	Side Panel 10'	40

Other Side Panel sizes available - Contact Factory.

INTERMEDIATE GUARD RAIL FOR OPEN END TYPE FRAMES



Intermediate End Guard Rail Panel
0012-267-05



Intermediate Side Guard Rail Panel

INTERMEDIATE GUARDRAIL FOR OPEN END TYPE FRAMES		
Part No.	Description	Wt.#
0012-263-07	Intermediate Side Guard Rail Panel 7'	21
0012-263-08	Intermediate Side Guard Rail Panel 8'	23
0012-263-10	Intermediate Side Guard Rail Panel 10'	27
0012-267-05	5'W Intermediate End Guard Rail Panel	21.5



Los Angeles Office/Warehouse
www.sunsetladder.com

4421 Fountain Avenue
Los Angeles, CA 90029

(800) 794-1112
(323) 467-1190

Fax: (323) 665-0952